

Eccentric Roller Grip


TA7

TA7-1 • TA7-1-SR • TA7-5 • TA7-10

Eccentric roller grip


Eccentric roller grips – easy to use and self-tightening
Applicable for soft and flexible samples, foils, plastics, rubber etc.

- Tensile force: 1 kN
- Pyramid (serrated) faced roller, 25mm Ø
- Clamping width 50mm, specimen thickness 0 – 7 mm
- Temperature range: 0 – 130°C
Other temperature ranges possible on request
- Body: aluminum anodized
- Weight: 509 gram each grip
- Scope of delivery: 1 pair



TA7-1-SR Eccentric roller grip

- Tensile force: 1 kN
- Smooth roller, 25mm Ø, rubber base plate
- Clamping width 50mm, specimen thickness 0 – 7mm
- Temperature range: 0 – 70°C
Other temperature ranges possible on request
- Body: aluminum anodized
- Weight: 509 gram each grip
- Scope of delivery: 1 pair



Thwing-Albert
Instrument Company



TA062322


thwingalbert.com

Eccentric Roller Grip

TA7



TA7-5 Eccentric roller grip

- Tensile force: 5 kN
- Pyramid (serrated) faced roller, 30mm Ø
- Clamping width 50mm, specimen thickness 0 – 7mm
- Temperature range: 0 – 130°C
- Other temperature ranges possible on request
- Body: aluminum anodized
- Weight: 667 gram each grip
- Scope of delivery: 1 pair



TA7-10 Eccentric roller grip

- Tensile force: 10 kN
- Pyramid (serrated) faced roller, 50mm Ø
- Clamping width 60mm, specimen thickness 0 – 8mm
- Temperature range: 0 – 130°C
- Other temperature ranges possible on request
- Body: steel, manganese phosphate coating
- Weight: 3.35 kg each grip
- Scope of delivery: 1 pair



Thwing-Albert
Instrument Company



TA062322

thwingalbert.com

Eccentric Roller Grip

TA7

Examples of other versions:



TA-5-Ni • Nickel plated



TAS766-5 • Symmetric tightening



TA7-5-100 • Roller width 100 mm



TA7-5-H80 • Body height 80mm



TA7-5-SBP • Pyramid faced base plate



TA7-10-mA • with centering device



Thwing-Albert
Instrument Company



TA062322

thwingalbert.com